


***rada***  
**\_\_\_\_\_**  
**\_\_\_\_\_**



**RADA RAC**

**PART NO: 1642.014**


**Genuine Rada Accessory**

**These instructions are to be left with the user**


## Installation

The RAC should be positioned above and offset to one side of the top outlet of the shower control. The RAC is offset to prevent the flexible hose from obstructing the shower temperature and/or flow control knobs. The pipework between the shower control and the 1/2" BSP female fitting is not supplied.

1. The supply pipe from the shower control must terminate at the wall surface with a 1/2" BSP female thread. The end of the fitting must be flush with, or up to 5 mm below the finished surface of the wall.
2. Apply liquid sealant or PTFE tape to the 1/2" BSP brass nipple. Do not use paste.
3. Screw the brass nipple into the female fitting, until it projects between 23 and 25 mm from the finished surface of the wall. If the brass nipple projects greater than 25 mm it will prevent the elbow from engaging with the wallplate. If necessary, cut the brass nipple to the correct length and remove any burrs.



4. Place the wallplate over the brass nipple. Make sure that the foam seal is fitted against the finished wall surface.
5. Apply liquid sealant or PTFE tape to the exposed section of the brass nipple. **Do not** use paste.
6. Screw the mounting bush on to the brass nipple until it clamps the wallplate loosely against the wall.
7. Rotate the wallplate to align one of the fixing holes at the top centre.
8. Tighten the mounting bush to hold the wallplate in position. Flats are provided on the mounting bush for a 24 mm A/F spanner.



9. Push the elbow fully on to the mounting bush and secure with the three fixing screws.  
**Note!** Make sure that the 'O' Seal is fitted.
10. Locate the shroud over the elbow. Carefully push the shroud until it engages with the clip feature of the elbow.
11. This completes the installation of the Rada RAC.

---

**Rada Controls**

Cromwell Road,  
Cheltenham,  
England, GL52 5EP, UK

**SPECIFICATION ENQUIRIES**

Telephone: 0844 571 1777

Fax: 0844 472 3076

E-Mail: [rada\\_technical@mirashowers.com](mailto:rada_technical@mirashowers.com)

Rada is a registered trade mark of  
Kohler Mira Limited.  
The company reserves the right to alter  
product specifications without notice.

[www.radacontrols.com](http://www.radacontrols.com)

The Rada logo consists of the word "rada" in a bold, italicized, lowercase sans-serif font. Below the text are three horizontal lines of varying lengths, with the longest line at the bottom and the shortest at the top, creating a stylized underline effect.